

# Discharge Information: post Neck Surgery





#### **Dear Patient/Carer:**

Please read this document carefully as it contains important information that complements the instructions given by your MEG ENT Specialist during your recent surgical admission.

#### **Medications:**

#### Pain Management:

- You should receive analgaesics and instructions (e.g. Paracetamol, oxycodone) prior to your discharge from hospital.
- Use as directed.

#### **Antibiotics:**

- Oral Antibiotics may be prescribed on your discharge from Hospital
- You will be advised by your MEG ENT Specialist.

# **Regular Medications:**

 Do not recommence Aspirin, Nurofen, Plavix, Fish Oil, etc. for at least 2 weeks after surgery or as instructed by your MEG ENT Specialist.

# **Wound Care:**

- Keep the wound clean and dry.
- Try to protect the wound from water for the first 72 hours.
- You may clean the area around the wound with a clean towel soaked in warm water.
- If you have stitches or skin clips these will need to be removed and you will be instructed upon discharge as to when and where they can be removed.

#### **Bleeding:**

- It is uncommon to have bleeding from the wound site after discharge from hospital.
- If you encounter any bleeding, welling or redness, with increasing pain and pressure from the wound, you should immediately contact your doctor or the hospital emergency department.

#### Diet:

Generally there are no post-operative dietary restrictions, though your MEG ENT specialist may suggest avoiding hot foods, or a softened diet if you have had an associated intra-oral surgery.



### **Return to Normal Activities:**

- You will usually require 2 weeks leave from work for full recovery.
- First 72 hours:
  - Avoid hot showers and saunas for 3 days
- Week I-2 post op:
  - Refrain from vigorous activity for 2 weeks to reduce the chance of bleeding.

# Attend your nearest Emergency Department or Local GP Clinic if:

- You experience bleeding or sudden increase in bruising or pressure.
- You have increasing pain, and/or discharge.
- You have a fever or feel increasingly unwell.

# On your Postoperative Appointment:

Your **MEG ENT Specialist** will remove any non-dissolvable sutures at the first post-operative review, at 2-3 weeks after surgery.

We will confirm the time and date of your post-operative appointment soon. Do not hesitate to contact us if you require any further information regarding these instructions.



# Information for patients, families and carers



- **(** 1300 952 808 **(** 03) 9429 3627
- ✓ MELBENTGROUP.COM.AU
- LEVEL 1 449 SWAN STREET, RICHMOND VIC

ABN 88 181 798 030